



- Made from recycled, renewable material
- Up to 0.80 NRC
- Class 1 fire-rated
- Two distinctive styles
 - BIOLINE Solid-Finish
 - BIOLINE Organic-Texture

BIOLINE® Wood Ceiling Tiles

Product Information

pinta's BIOLINE Wood Ceiling Tiles add warmth and elegance to any décor. They are available in two distinctive styles and are made from recycled, renewable materials. The Solid-Finish tiles provide the beauty of real wood veneer while the organic tiles offer a unique fiber texture.

Environmentally friendly, BIOLINE Solid-Finish tiles contain 70 percent recycled material. Choose from custom or standard natural wood veneers, including cherry (natural and red), beech, maple and bamboo (natural and caramel) in perforated or unperforated options.

BIOLINE Organic-Texture tiles reduce reverberation and echo by absorbing between 55 and 80 percent of the sound directed toward them. Made from 80 percent recycled material, Organic-Texture tiles are offered in custom or three standard wood shades of light, medium and dark to complement your décor.

Applications

- Offices and conference rooms
- Showrooms and training areas
- Entries and boardrooms
- Entertainment facilities
- Religious facilities

BIOLINE Wood Ceiling Tiles feature

- Rigid, durable, stable material that tolerates a broad range of job site environmental conditions
- No added urea-formaldehyde
- Standard finish: UV-cured, waterborne-finish with UV blockers for color stability
- Can contribute to LEED® credits
- Excellent impact resistance
- Fits pinta's or other conventional grid systems
- Field machinable, custom cuts and cutouts offered

2601 49th Avenue North
Suite 400
Minneapolis, MN 55430
Toll-Free 1-800-662-0032
sales@pinta-acoustic.com
www.pinta-acoustic.com



Solid-Finish

- 70 percent recycled, postindustrial material (by weight)
- Perforated patterns available in square and diamond
- Perforated holes available in 0.25" and 0.31" (6.4 mm and 8 mm) and custom diameters
- Coordinated core color and veneer; no edge banding required
- Class 1 fire-rated
- Six standard natural wood veneers and custom-tinted veneer
- Two-year limited warranty against veneer delamination
- Self-centering revealed edge


Organic-Texture

- 80 percent recycled, postindustrial material (by weight)
- Noise reduction coefficient (NRC) of 0.55 and 0.65* (ASTM C423 E-mount)
- Noise reduction coefficient (NRC) of 0.80* (ASTM C423 modified A-mount)
- Three standard wood shades of light, medium and dark or custom shades
- Class 1 fire-rated (ASTM E84); flame spread: 25; smoke density: 70
- Self-centering, high-strength, molded revealed edge

Solid-Finish Wood Ceiling Tiles



Cherry - Red and Natural



Beech - Perforated Maple - Perforated



Bamboo - Caramel and Natural

Organic-Texture Wood Ceiling Tiles



Light, Medium and Dark (Medium shown)

Style	Profile	Dimensions	Recycled Content**	NRC
Solid-Finish	Self-centering revealed edge	24" x 24", 24" x 48" or custom	70%	N/A
Solid-Finish Perforated	Self-centering revealed edge	24" x 24", 24" x 48" or custom	70%	0.40
Organic-Texture	Self-centering revealed edge	24" x 24", 24" x 48" 24" x 72" or custom	80%	0.55, 0.65* and 0.80*

*Using willtec® acoustical foam or fiberglass backer.

**By weight

As with all natural products, colors will vary.

Due to limitations of the printing process, the colors to the left may not be entirely accurate.

Other Products

pinta acoustic, inc. manufactures a broad range of acoustical materials including:

- CONTOUR® Ceiling Tiles
- HARMONI Ceiling Tiles
- WHITELINE® Ceiling Tiles
- SQUARELINE® Metal Ceiling Tiles
- SONEX® Baffles and Panels
- SONEX Clean Baffles, Panels and Ceiling Tiles
- FABRITEC Wall Panels
- PROSPEC® Barriers, Foams and Composites
- PROSPEC Decibel Drop™ Viscoelastic Damping Compound
- pinta Ceiling Grid Systems



- Colors compliment pinta acoustic's ceiling tiles
- Double web construction for durability
- Versatile and easy to install

pinta Ceiling Grid System

Product Information

Now you can have a ceiling grid system that blends beautifully with pinta's or standard ceiling tiles. pinta's Ceiling Grid System is offered in colors that complement the HPC coating or natural finish of our HARMONI, CONTOUR® and WHITELINE® Ceiling Tiles as well as our SQUARELINE® Metal Ceiling Tiles, BIOLINE® Wood Ceiling Tiles, PHONSTOP™ Ceiling Tiles and SONEX® Clean Ceiling Tiles. Standard colors include white, almond, grey, satin chrome and black. Custom colors are also available.

Our commercial-quality ceiling grid system features standard $\frac{15}{16}$ " capped grid face and a double web design for added strength. It is also easy to install.

Part Selections

- 8' Main runners
- 4' High profile cross-tees
- 2' High profile cross-tees
- 8' Wall angle moldings
- 12' Main runners and wall angle moldings are available special order

Features and Benefits

- Intermediate ASTM load-bearing capabilities
- Main runners have non-directional bayonet couplings
- Integral cross-tee end tabs for positive locking and easy disassembly
- Stepped-end cross-tee design resists twisting and provides finished appearance
- Components feature hot-dipped galvanized steel web and capped face for superior corrosion resistance
- All components – main runners and high-profile cross-tees – are manufactured from the same metal for superior strength and stability
- Meets or exceeds building code requirements including Seismic Zones 0-2
- Apply in any area where a drop-in ceiling is desired

2601 49th Avenue North
Suite 400
Minneapolis, MN 55430
Toll-Free 1-800-662-0032
sales@pinta-acoustic.com
www.pinta-acoustic.com

White ceiling grid system supporting
WHITELINE® Ceiling Tiles



White ceiling grid system supporting
HARMONI Ceiling Tiles



Satin chrome grid system supporting
SQUARELINE® Metal Ceiling Tiles




Colors


- White
- Almond
- Grey
- Satin chrome
- Black
- Custom colors are available
(minimum quantities may apply)

Materials

- Hot-dipped galvanized steel
- Painted face
- Sturdy double-web construction
- Standard 15/16" capped grid face




White



Almond



Black



Grey



Satin Chrome

Specifications

Product	Length	Nominal Dimensions	
		Height	Face
Main Runners	8'	1 1/2"	15/16"
Cross-tees	2'	1 1/2"	15/16"
	4'	1 1/2"	15/16"
Wall Moldings	8'	7/8"	7/8"

Other Products

pinta acoustic, inc. manufactures a broad range of acoustical materials including:

- CONTOUR® Ceiling Tiles
- HARMONI Ceiling Tiles
- WHITELINE® Ceiling Tiles
- SQUARELINE® Metal Ceiling Tiles
- BIOLINE® Wood Ceiling Tiles
- SONEX® Baffles and Panels
- SONEX Clean Baffles, Panels and Ceiling Tiles
- FABRITEC Wall Panels
- PHONSTOP™ Ceiling and Wall Tiles
- WHISPERWAVE™ Panels, Baffles, Ceiling Clouds and Awnings
- PROSPEC® Barriers, Foams and Composites
- PROSPEC Decibel Drop™ Viscoelastic Damping Compound
- pinta Ceiling Grid Systems

BIOLINE® Linear Wood Ceiling and Wall Tiles Product Information



BIOLINE Linear Wood Ceiling and Wall Tiles feature real wood veneer on a color-matched core made from 100 percent recycled fiber, using low-energy manufacturing and advanced green chemistry. BIOLINE Linear tiles add warmth and elegance to offices, conference rooms, showrooms, training areas, entertainment and religious facilities.

>> | Advantages

- The beauty of real wood veneer
- Color-coordinated core made from 100% recycled fiber
- Qualifies for LEED credits
- Class 1 fire-rated

2601 49th Avenue North, Suite 400
Minneapolis, MN 55430
Toll-Free 1-800-662-0032
sales@pinta-acoustic.com
www.pinta-acoustic.com

BIOLINE® Linear Wood Ceiling and Wall Tiles

Product Information

Material

Veneer

- Four natural wood veneer species and six standard veneer finishes*
 - Cherry, bamboo, European steamed beech and maple
 - Custom finishes available
- Clean by vacuuming or wiping with a slightly damp cloth

Core

- Color-coordinated core – does not require veneer wrap on edges
- Core wrapped in veneer or laminate
- FSC (Forest Stewardship Council) core wrapped in FSC veneer
- Solid lumber depending on species specified by FSC, optional
- Color-coordinated core and FSC core contain recycled fiber
- No added formaldehyde in fabrication

Finish

- Standard finish: environmentally friendly, 100 percent water-borne
- Low VOC <.3 lbs./gal. exceeds latest CARB requirements
- UV-cured finish
- Custom finishes available

Sizes

- Panelized or individual planks
 - Up to 8' length for color-coordinated core
 - Up to 10' for other cores depending on species specified
- Board widths: 2-1/4", 3-1/4", 5-1/4", 7-1/4", 11-1/4"
 - Custom widths available
- Thicknesses: 1/2" (12.7 mm) and 3/4" (19 mm)
- Field machinable
- Custom-machined cutouts per supplied shop drawings
- No specialty tools required for installation

Fire retardancy

- Class 1 fire-rated (ASTM E84)

LEED points

- MR 4.1, MR 4.2, MR 7, EQ 4.4 (please inquire for updates)

Stability

- Excellent impact resistance with no gravitational sag; tolerates a wide range of jobsite installation environments


Standard Warranty

- One year

* All natural wood products vary in color and grain.


Ceiling Suspension

Panelized




Attachment methods vary according to ceiling type
Consult factory for specific details


Open with spacer



Open without spacer



Closed



>> Other Products

- Wall Panels
- Ceiling Tiles
- Ceiling Clouds
- Baffles
- Barriers, Foam and Composites

2601 49th Avenue North, Suite 400
Minneapolis, MN 55430
Toll-Free 1-800-662-0032
sales@pinta-acoustic.com
www.pinta-acoustic.com